



**EcoTek<sup>®</sup>**

**NITRILE GLOVES WITH  
SUSTAINABLE TECHNOLOGY**

What is...

# EcoTek®

EcoTek is SW's patented, environmentally sustainable glove formula. EcoTek is manufactured sustainably and rigorously tested per the ASTM D5526 standard\*. EcoTek is useful for all glove users and industries as it reduces emissions when incinerated.

Our formula has been proven to produce 7% less CO<sub>2</sub> (Carbon Dioxide) emissions, 55% less NO<sub>2</sub> (Nitrogen dioxide) emissions, 81% less SO<sub>2</sub> (Sulfur Dioxide) emissions, 56% less TVOC (Total Volatile Organic Carbon) emissions, and 40% less CO (Carbon Monoxide) emissions during incineration compared to regular nitrile gloves.

\*EcoTek gloves tested to ASTM D5526-12 Standard Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions. Results are 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the test reports, send email to [cs@swssglobal.com](mailto:cs@swssglobal.com).



# CERTIFICATIONS



9001:2015

ISO 9001:2015  
Quality Management  
Systems



13485:2016

ISO 13485:2016  
Quality Management  
for Medical Devices



14001

ISO 14001  
Environmental Management  
System Certificate



SA 8000

Social Accountability



California Green  
Business Network  
Alameda County



British Safety  
Industry Federation



National Women's  
Business Enterprise



National Minority  
Supplier Development  
Council



Skin Health  
Alliance Approved



# NITRILE SINGLE-USE GLOVES WITH SUSTAINABLE TECHNOLOGY

**MM**

**MM-11BK**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 12.8g <small>(large size)</small>	 11"	 3.5 mil	DriTek® EcoTek®	 BLACK

ECOTEK

**TF**

**TF-95RB**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 5.0g <small>(large size)</small>	 9.5"	 3.1 mil	EcoTek®	 ROYAL BLUE

ECOTEK

**TF**

**TF-12LG**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 7.5g <small>(large size)</small>	 12.0"	 4.9 mil	Clean Washed Air Inspected	 LIGHT GREEN

ECOTEK

**PF**

**PF-95LG**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 7.0g <small>(large size)</small>	 9.5"	 5.1 mil	EnerGel® EcoTek®	 LIGHT GREEN

ECOTEK

**PF**

**PF-95GW**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 6.5g <small>(large size)</small>	 9.5"	 4.9 mil	EnerGel® Breach Alert!® EcoTek®	 GREEN WHITE

ECOTEK

**PF**

**PF-95BK**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 6.5g <small>(large size)</small>	 9.5"	 5.0 mil	EcoTek® Clean Washed Air Inspected	 BLACK

ECOTEK

**PF**

**PF-95GY**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 8.8g <small>(large size)</small>	 9.5"	 6.2 mil	DriTek® EcoTek®	 GRAY

ECOTEK

**PF**

**PF-95TL**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 6.5g <small>(large size)</small>	 9.5"	 5.0 mil	EcoTek® Clean Washed Air Inspected	 TEAL

ECOTEK



# NITRILE SINGLE-USE GLOVES WITH SUSTAINABLE TECHNOLOGY

PF

PF-95BL

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 8.5g (large size)	 9.5"	 6.1 mil	Dry Core® EcoTek®	 BLUE

EcoTEK

PF

PF-95OR

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 7.5g (large size)	 9.5"	 5.1 mil	TracTek® EcoTek®	 ORANGE

EcoTEK

PF

PF-12TL

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 10.7g (large size)	 12.0"	 6.2 mil	EcoTek® Clean Washed Air Inspected	 TEAL

EcoTEK

PF

PF-12WG

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 10.3g (large size)	 12.0"	 6.0 mil	pH Natural® EcoGel® Breach Alert® EcoTek®	 WHITE GREEN

EcoTEK



# Bantam™

TPE SINGLE-USE GLOVES WITH  
SUSTAINABLE TECHNOLOGY



B

P-024-098-ECO-WT

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 2.4g (large size)	 9.8"	 3.2 mil	EcoTek®	WHITE

ECOTEK

# NEWTRILE®

NITRILE CHEMICAL-RESISTANT GLOVES  
WITH SUSTAINABLE TECHNOLOGY



UNLINED 11MIL  
FLOCK-LINED 11MIL  
FLOCK-LINED 15MIL



NEWTRILE 9  
NITRILE  
CHEMICAL-RESISTANT  
GLOVES  
EcoTek  
12 PAIRS



[swssglobal.com](https://www.swssglobal.com)

+1 510.429.8692

Trademarks and registered trademarks are the property of SW and its affiliates.

©2023 SW. All rights reserved.